







HCS 5340

Brand: HCS

Model: MS5340

Deck dimensions: 53'W x 40'D.

Roof Height: 37.6'

Deck height: Up to 6.'

Roof dimensions: 53' W x 49' D (9.3' extension passed front deck)

Rental price: 30 000\$+HST (Base Price)

Features:

- Stage contains solid (non perforated) wind walls covering 3 sides (rear and rear half of side walls) made from premium material.
- Contains two flights of stairs made of light weight aluminum.
- PA Wings 8' outrigger with support mass to ground
- PA hang point capacity up to 8000 lbs each.
- 4 corner pillars for stability and roof safety
- Roof total hang capacity up to 65 500 lbs Including PA
- Stage is self leveling.
- Stage front skirt included.
- 2 side wings 17' wide by 40' deep fully covered with rear or side doors.
- Built in work lights.
- 3x Front hang points for FOH Lighting up to 1500 lbs each.
- 9' Roof extension overhang for FOH Lighting and rain protection.
- Stage travels with a 53' tractor trailer for accessories.

Not included:

- Loading Dock 17.5' D x 88' W Level to stage height (can be added for additional fee)

CONDITIONS OF RENTAL:

- Labouring will be provided by HCS, cost will be determined during consultation.
- Site visit will be required before confirming rental.
- Parking is required for 53' Accessories trailer.
- Accommodations will be provided and charged to the client. (approximately 6 Technicians)
- Minimum 85' All terrain straight boom must be provided by the client on site for the duration of the setup and teardown of stage.
- Damage to grass or soft terrain will be at no cost to the stage provider (HCS)
- Any damages made to the stage by either client or third-party companies (including production suppliers) will require direct reimbursement of repair cost by the stage rental client.
- Laboring cost will remain approximate and will be finalized upon departure from site.
- Minimum one stage tech will remain on site for the duration of the event.
- No non-HCS staff will be permitted on or near the stage during set up or teardown or unless otherwise permitted by an HCS member.

NOTE: *** Delivery beyond 100km or out of province will be subject to travel charges. (To be determined upon booking).


Payment conditions:

5 000\$ deposit is required to book the stage, the full amount will be due upon completion of event.

Sum of All Rigging Points
on Truss Cord not to Exceed 17,500 LBS

Sum of All Rigging Points
on Truss Cord not to Exceed 17,500 LBS

Sum of All Rigging Points
on Truss Cord not to Exceed 17,500 LBS




Sum of All Rigging Points
on Truss Cord not to Exceed 10,000 LBS



Sum of All Rigging Points
on Truss Cord not to Exceed 10,000 LBS

Sum of All Rigging Points
on Truss Cord not to Exceed 10,000 LBS

Sum of All Rigging Points
on Truss Cord not to Exceed 10,000 LBS




Sum of All Rigging Points
on Truss Cord not to Exceed 10,000 LBS

Sum of All Rigging Points
on Truss Cord not to Exceed 10,000 LBS

A. Bullington
PE 53844
11/11/17


Maximum Load Bearing Capacity: 65,500 LBS

RTC-50/40 STAGE



Front Elevation of Stage

RTC-50/40 STAGE



Right Side Elevation of Stage

Contact information:

Stage Manager - Jamie Comeau

Jamie@prodxatl.com

506-961-1993

Stage Engineer and owner – Danny and Bobby Savard

hubcitysound@gmail.com

506-381-7589